

# **Power Bank Series**

**5000mAh**

**All-Solid-State Battery Cell**

**10000mAh**

**Semi-Solid-State Battery**

**20000mAh**

**Lithium Polymer Battery**

**40000mAh**

# Power Bank

All-Solid-State Lithium Battery

## NEW COMING

Model:5MC28

5000mAh | PD22.5W+MagSafe-Compatible15W



◆HD TFT Display

◆Aluminum alloy+Plastic

◆Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)

◆Type-C Output: 5V/3A,9V/2.22A,10V/2.25A, 12V/1.67A (22.5W Max)

◆Wireless Output:5W/7.5W/10W/15W

◆Rated Capacity: 3000mAh

◆4.09\*2.59\*0.40 inch| 103.8\*65.8\*10.2mm

◆0.32lbs

◆≥500 Charge Cycles

◆**All-Solid-State Battery** (No fire No explosion Battery)

◆Black|Gray|Cherry Blossom Purple|Silver

◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Oct**

**Model:5MC26****5000mAh Solid Power bank | PD20W+MagSafe-Compatible15W**

- ◆HD 188 digital Display
- ◆Aluminum alloy+Plastic
- ◆Watch Wireless Charger
- ◆Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)
- ◆Type-C Output: 5V/3A,9V/2.22A,12V/1.67A (20W Max)
- ◆Wireless Output:2.5W/5W/7.5W/10W/15W
- ◆Rated Capacity: 3000mAh
- ◆4.015\*2.58\*0.41 inch| 102\*65.6\*10.6 ( mm )
- ◆0.27 lbs
- ◆≥500 Charge Cycles
- ◆**All-Solid-State Battery** (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.OCT**

**Model:10MC26****10000mAh Solid Power bank | PD20W+MagSafe-Compatible15W**

- ◆ HD 1.88 digital Display
- ◆ Aluminum alloy+Plastic
- ◆ Watch Wireless Charger
- ◆ Type-C Input: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
- ◆ Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- ◆ Wireless Output: 2.5W/5W/7.5W/10W/15W
- ◆ Rated Capacity: 6000mAh
- ◆ 4.016\*2.58\*0.65 inch | 102\*65.6\*16.6 (mm)
- ◆ 0.397 lbs
- ◆ ≥500 Charge Cycles
- ◆ **All-Solid-State Battery** (No fire No explosion Battery)
- ◆ Black | Gray | Hermes Orange | Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.OCT**

**Model: 10MC6**

**Double-Sided Glass**

10000mAh | **PD20W**+ MagSafe-Compatible **15W**



- ◆ Aluminum alloy+explosion-proof tempered glass(Back side+Front Side)
- ◆ 5 LED Light Indicators
- ◆ Type-C Input: 5V/3A ,9V/2A,12V/1.5A (18W Max)
- ◆ Type-C Output: 5V/3A,9V/2.22A,12V/1.67A (20W Max)
- ◆ Wireless Output:2.5W/5W/7.5W/10W/15W
- ◆ Rated Capacity:6000mAh
- ◆ 4.06\*2.73\*0.57 inch | 103.1\* 69.4\*14.4 mm
- ◆ 0.41 lbs
- ◆ **≥500 Charge Cycles**
- ◆ **All-Solid-Battery**(No fire No explosion Battery)
- ◆ Black,Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Oct**

All-Solid-State Battery

NEW COMING

ZONNGOO

Model:10MC25-22.5W



10000mAh|PD22.5W

- ◆HD 1.9" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C1 Input: 5V/3A,9V/2A,12V/1.5A
- ◆Type-C2 Input: 5V/3A,9V/2A,12V/1.5A
- ◆Type-C1 Output: 5V/3A,9V/2.22A,10V/2.25A,12V/1.67A
- ◆Type-C2 Output: 5V/3A,9V/2.22A,10V/2.25A,12V/1.67A
- ◆Type-C3 Output: 5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆Rated Capacity: 6000mAh
- ◆103mm×67mm×14.2mm|4.05×2.63×0.55inches
- ◆0.43lbs
- ◆≥500 Charge Cycles
- ◆All-Solid Battery|Safe battery (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

All-Solid-State Battery

NEW COMING

ZONNGOO

Model:10MC25-45W

10000mAh|PD45W



◆HD 1.9" TFT Display

◆Aluminum alloy+Plastic

◆Reserved lanyard hole

◆Type-C1 Input: 5V/3A,9V/2A,12V/2.5A,15V/2A,20V/1.5A

◆Type-C2 Input: 5V/3A,9V/2A,12V/2.5A,15V/2A,20V/1.5A

◆Type-C1 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/2.25A

◆Type-C2 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/2.25A

◆Type-C3 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/2.25A

◆USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A

◆Rated Capacity: 6000mAh

◆103mm×67mm×14.2mm|4.05×2.63×0.55inches

◆0.43lbs

◆≥500 Charge Cycles

◆All-Solid-State Battery (No fire No explosion Battery)

◆Black|Gray|Hermes Orange|Silver

◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

All-Solid-State Battery

NEW COMING

ZONNGOO

Model:20MC25-45W

20000mAh|PD45W



- ◆HD 1.9" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C1 Input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
- ◆Type-C2 Input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
- ◆Type-C1 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,20V/2.25A 45W
- ◆Type-C2 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,20V/2.25A 45W
- ◆DC output : 5V/3A
- ◆ USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆Rated Capacity: 12000mAh
- ◆103mm×67mm× 30mm|4.05×2.63×1.18inches
- ◆0.63lbs
- ◆≥500 Charge Cycles
- ◆All-Solid Battery (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

All-Solid-State Battery

NEW COMING

ZONNGOO

Model:20MC25-65W

20000mAh|PD65W

◆HD 1.9" TFT Display

◆Aluminum alloy+Plastic

◆Reserved lanyard

◆Type-C1 Input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

◆Type-C2 Input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

◆Type-C1 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/3.25A 65W

◆Type-C2 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/3.25A 65W

◆DC output : 5V/3A

◆USB-A Output:5V/3A,9V/2A,10V/2.25,A12V/1.5A

◆Rated Capacity: 12000mAh

◆103mm×67mm× 30mm|4.05×2.63×1.18inches

◆0.63lbs

◆≥500 Charge Cycles

◆All-Solid Battery|Safe battery (No fire No explosion Battery)

◆Black|Gray|Hermes Orange|Silver

◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct



# Power Bank

## Semi-Solid-State Lithium Battery

## NEW COMING

Model:5MC2

0.37 Inch Ultra Slim

5000mAh | PD20W+MagSafe-Compatible15W



- ◆HD 1.14" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)
- ◆Type-C Output: 5V/3A,9V/2.22A,12V/1.67A (20W Max)
- ◆Wireless Output:2.5W/5W/7.5W/10W/15W
- ◆Rated Capacity: 2900mAh
- ◆4.0\*2.63\*0.37 inch| 102\*67\*9.3mm
- ◆0.27lbs
- ◆≥500 Charge Cycles
- ◆Semi-Solid Battery (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

## NEW COMING

Model: 5MC2 Qi2

0.37 Inch Ultra Slim

5000mAh | PD20W + MagSafe-Compatible 15W



- ◆ HD 1.14" TFT Display
- ◆ Aluminum alloy + Plastic
- ◆ Reserved lanyard hole
- ◆ Type-C Input: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
- ◆ Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- ◆ Wireless Output: 2.5W/5W/7.5W/10W/15W
- ◆ Rated Capacity: 2900mAh
- ◆ 4.0\*2.63\*0.37 inch | 102\*67\*9.3mm
- ◆ 0.27lbs
- ◆ ≥500 Charge Cycles
- ◆ Semi-Solid Battery (No fire No explosion Battery)
- ◆ Black | Gray | Hermes Orange | Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Launched time: 2026.Oct

**NEW COMING**

**Model:5PMC27**

**5000mAh | PD20W+MagSafe-Compatible15W**



- ◆ 188 digital Display
- ◆ ABS+PU+Foldable Leather Case
- ◆ Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)
- ◆ Type-C Output: 5V/3A,9V-2.22A,12V-1.67A(20W Max)
- ◆ USB Output: 5V/3A,9V-2A,12V-1.5A(18W Max)
- ◆ Wireless Output:5W/7.5W/10W/15W
- ◆ Rated Capacity: 2900mAh
- ◆ 4.33\*2.73\*0.58 inch| 110.10\*69.4\*14.8mm
- ◆ 0.32lbs
- ◆ ≥500 Charge Cycles
- ◆ Semi-Solid Battery (No fire No explosion Battery)
- ◆ Black|White|Blue
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Oct**

**Model:10MC9**

**HD 1.14" TFT Display**

**10000mAh | PD20W + MagSafe-Compatible 15W**



◆HD 1.14" TFT Display

◆Aluminum alloy+Plastic

◆Reserved lanyard hole

◆Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)

◆Type-C Output: 5V/3A,9V-2.22A,12V-1.67A(20W Max)

◆Wireless Output:2.5W/5W/7.5W/10W/15W

◆Rated Capacity: 5900mAh

◆4.01\*2.63\*0.61 inch| 102\*67\*15.66mm

◆0.43lbs

◆≥500 Charge Cycles

◆Semi-Solid Battery (No fire No explosion Battery)

◆Black|Gray|Hermes Orange|Silver

◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Oct**

**Model 10MC9 QI2 HD 1.14" TFT Display**

**10000mAh | PD20W + MagSafe-Compatible 15W**



- ◆ HD 1.14" TFT Display
  - ◆ Aluminum alloy+Plastic
  - ◆ Reserved lanyard hole
  - ◆ Type-C Input: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
  - ◆ Type-C Output: 5V/3A, 9V-2.22A, 12V-1.67A (20W Max)
  - ◆ Wireless Output: 2.5W/5W/7.5W/10W/15W
  - ◆ Rated Capacity: 5900mAh
  - ◆ 4.01\*2.63\*0.61 inch | 102\*67\*15.66mm
  - ◆ 0.43lbs
  - ◆ ≥500 Charge Cycles
  - ◆ Semi-Solid Battery (No fire No explosion Battery)
  - ◆ Black | Gray | Hermes Orange | Silver
  - ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE
- Lanuched time: 2026.Oct**

**Model:10MC27**



**10000mAh** | **PD20W** + MagSafe-Compatible **15W**

- ◆ 188 digital display
- ◆ ABS+PU+Foldable Leather Case
- ◆ Type-C Input: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
- ◆ Type-C Output: 5V/3A, 9V-2.22A, 12V-1.67A (20W Max)
- ◆ USB Output: 5V/3A, 9V-2A, 12V-1.5A (18W Max)
- ◆ Wireless Output: 5W/7.5W/10W/15W
- ◆ Rated Capacity: 5900mAh
- ◆ 4.33\*2.73\*0.79 inch | 110.10\*69.4\*20.1mm
- ◆ 0.493lbs
- ◆ ≥500 Charge Cycles
- ◆ Black|White|Blue
- ◆ **Semi-Solid Battery** (No fire No explosion Battery)
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Launched time: 2026.Jan**

Model: 10MC6

Double-Sided Glass

10000mAh | **PD20W**+ MagSafe-Compatible **15W**



- ◆ Aluminum alloy+explosion-proof tempered glass(Back side+Front Side)
- ◆ 5 LED Light Indicators
- ◆ Type-C Input: 5V/3A ,9V/2A,12V/1.5A (18W Max)
- ◆ Type-C Output: 5V/3A,9V/2.22A,12V/1.67A (20W Max)
- ◆ Wireless Output:2.5W/5W/7.5W/10W/15W
- ◆ Rated Capacity:6000mAh
- ◆ 4.06\*2.73\*0.57 inch | 103.1\* 69.4\*14.4 mm
- ◆ 0.41 lbs
- ◆ **≥500 Charge Cycles**
- ◆ **Semi-Solid Battery** (No fire No explosion Battery)
- ◆ Black,Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Mar

**Model:10MC2B Qi2.2**

**10000mAh | PD40W+MagSafe-Compatible 25W**



- ◆HD 1.14" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C Input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A 30W
- ◆Type-C Output: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/2A 40W
- ◆2.5W/5W/7.5W/10W/15W/25W
- ◆Rated Capacity: 5900mAh
- ◆102mm×67mm× 15.66mm|4.01 ×2.63×0.61 inches
- ◆0.43lbs
- ◆≥500 Charge Cycles
- ◆Semi-Solid Battery (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Oct**

Model:10MC25-22.5W



10000mAh|PD22.5W

- ◆HD 1.9" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C1 Input: 5V/3A,9V/2A,12V/1.5A
- ◆Type-C2 Input: 5V/3A,9V/2A,12V/1.5A
- ◆Type-C1 Output: 5V/3A,9V/2.22A,10V/2.25A,12V/1.67A
- ◆Type-C2 Output: 5V/3A,9V/2.22A,10V/2.25A,12V/1.67A
- ◆Type-C3 Output: 5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆Rated Capacity: 6000mAh
- ◆103mm×67mm×14.2mm|4.05×2.63×0.55inches
- ◆0.43lbs
- ◆≥500 Charge Cycles
- ◆Semi-Solid Battery (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

Model:10MC25-45W



10000mAh|PD45W

- ◆HD 1.9" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C1 Input: 5V/3A,9V/2A,12V/2.5A,15V/2A,20V/1.5A
- ◆Type-C2 Input: 5V/3A,9V/2A,12V/2.5A,15V/2A,20V/1.5A
- ◆Type-C1 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/2.25A
- ◆Type-C2 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/2.25A
- ◆Type-C3 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/2.25A
- ◆USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆Rated Capacity: 6000mAh
- ◆103mm×67mm×14.2mm|4.05×2.63×0.55inches
- ◆0.43lbs
- ◆≥500 Charge Cycles
- ◆Semi-Solid Battery (No fire No explosion Battery)
- ◆Black|Gray|Hermes Orange|Silver
- ◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

Model:20MC25-45W



20000mAh|PD45W

- ◆ HD 1.9" TFT Display
- ◆ Aluminum alloy+Plastic
- ◆ Reserved lanyard hole
- ◆ Type-C1 Input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
- ◆ Type-C2 Input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
- ◆ Type-C1 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,20V/2.25A 45W
- ◆ Type-C2 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,20V/2.25A 45W
- ◆ DC output : 5V/3A
- ◆ USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆ Rated Capacity: 12000mAh
- ◆ 103mm×67mm× 30mm|4.05×2.63×1.18inches
- ◆ 0.63lbs
- ◆ ≥500 Charge Cycles
- ◆ Semi-Solid Battery|Safe battery (No fire No explosion Battery)
- ◆ Black|Gray|Hermes Orange|Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

Model:20MC25-65W



20000mAh|PD65W

- ◆ HD 1.9" TFT Display
- ◆ Aluminum alloy+Plastic
- ◆ Reserved lanyard hole
- ◆ Type-C1 Input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
- ◆ Type-C2 Input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
- ◆ Type-C1 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/3.25A 65W
- ◆ Type-C2 Output: 5V/3A,9V/3A,10V/2.25A,12V/3A,15V/3A,20V/3.25A 65W
- ◆ DC output : 5V/3A
- ◆ USB-A Output:5V/3A,9V/2A,10V/2.25A,12V/1.5A
- ◆ Rated Capacity: 12000mAh
- ◆ 103mm×67mm× 30mm|4.05×2.63×1.18inches
- ◆ 0.63lbs
- ◆ ≥500 Charge Cycles
- ◆ Semi-Solid Battery (No fire No explosion Battery)
- ◆ Black|Gray|Hermes Orange|Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Oct

Model: 10C6

Hassle-Free Cable Charging

10000mAh | PD35W



- ◆ Plastic (PC)
- ◆ 188 Digital Display
- ◆ Type-C Input: 5V=3A、9V=3A、12V=1.67A、15V=1.33A、20V=1A; (20W Max)
- ◆ Type-C cable input: 5V=3A、9V=3A、12V=1.67A、15V=1.33A、20V=1A;
- ◆ Type-C output: 5V=3A、9V=3A、10V=2.25A、12V=2.91A、15V=2.33A、20V=1.75A(35W Max)
- ◆ Type-C output: 5V=3A、9V=3A、10V=2.25A、12V=2.91A、15V=2.33A、20V=1.75A(35W Max)
- ◆ Lightning Cable:5V/3A/9V/3A(27W) total output: 5V=3A
- ◆ Rated Capacity:5900mAh
- ◆ 2.97\*2.08\*1.29 inch | 75.5\*53\*33mm
- ◆ 0.39 lbs|176g
- ◆ Black,Light Gray,Hermes Orange,White,Light Blue
- ◆ ≥300 Charge Cycles
- ◆ Semi-Solid-State Battery
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Nov

**Model:10MC32**



10000mAh -40°C

◆5 LED battery level indicators

◆ABS

◆Type-C Input: 5V/2.3A (11.5W Max)

◆Type-C cable Input: 5V/2A (10W Max)

◆Type-C Output: 5V/2A (10W Max)

◆USB-A Output: 5V/2A (10W Max)

◆Lightning Cable:5V/2A(10W Max)

◆total output: 5V= 3A

◆Rated Capacity: 5900mAh

◆144.4mm×69.4mm× 17.52mm|5.685×2.73×0.69 inch

◆0.52lbs

◆≥500 Charge Cycles

◆Semi-Solid Battery|Safe battery (No fire No explosion Battery)

◆Black|Gray|Hermes Orange|Silver

◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Dec**

# Power Bank

## Lithium Polymer Battery

## Model 4C31 Outdoor Colorful LED Power Bank



**40000mAh | PD20W -40°C Outdoor**

◆HD 188 digital Display

◆ABS+Silicone

◆5 white LED lights/3-level dimming

◆9-color RGB lights, auto color cycle & manual color adjustment

◆Aluminum alloy+Plastic

◆WITH HANDLE

◆Type-C1 Input: 5V/2.6A,9V/2A,12V/1.5A(18W Max)

◆Type-C2 Input: 5V/2.6A,9V/2A,12V/1.5A(18W Max)

◆Type-C1 Output: 5V/3A,9V-2.22A,12V-1.67A(20W Max)

◆Type-C2 Output: 5V/3A,9V-2.22A,12V-1.67A(20W Max)

◆USB-A1 Output: 5V/3A,9V-2A,12V-1.5A,10V-2.25A(22.5W Max)

◆USB-A2 Output: 5V/2A (10W)

◆Rated Capacity: 24600mAh

◆5.51\*2.68\*2.2 inch| 140\*68\*56mm

◆1.87lbs

◆≥500 Charge Cycles

◆Gray|Off-white

◆Polymer Lithium Battery

◆FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Dec**

Model: 4C30

Outdoor Colorful LED Power Bank



40000mAh | PD65W

- ◆HD 0.96'' TFT display
- ◆ABS+Silicone
- ◆5 white LED lights/3-level dimming
- ◆9-color RGB lights, auto color cycle & manual color adjustment
- ◆WITH HANDLE
- ◆Type-C1 Input: 5V/3A ,9V/3A,12V/3A ,15V/3A,20V/3.25A (65W)
- ◆Type-C2 Input: 5V/3A,9V/3A,12V/3A,,15V/3A,20V/3.25A (65W)
- ◆Type-C1 Output: 5V/3A ,9V/3A,12V/3A ,15V/3A,20V/3.25A (65W)
- ◆Type-C2 Output: 5V/3A,9V/3A,12V/3A,,15V/3A,20V/3.25A (65W)
- ◆USB-A1 Output: 5V/3A,9V-2A,12V-1.67A,10V-2.25A (22.5W)
- ◆USB-A2 Output: 5V/3A,9V-2A,12V-1.67A,10V-2.25A (22.5W)
- ◆Rated Capacity:24600mAh
- ◆4.35\*3.02\*2.2 inch | 110.5\* 76.8\*56 mm
- ◆1.45 lbs
- ◆Gray|Off-white|Yellow
- ◆≥500 Charge Cycles
- ◆Polymer Lithium Battery
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Dec

Model:5MC29

5000mAh|PD20W+Magsafe-Compatible 15W



- ◆ Aluminum alloy+Glass Fiber
- ◆ 5 LED battery level indicators
- ◆ Reserved lanyard
- ◆ Type-C cable Input: 5V/3A,9V/2A,12V/1.5A(18W Max)
- ◆ Type-C cable Output: 5V/3A,9V/2.22A,12V/1.67A (20W Max)
- ◆ Wireless Output:5W/7.5W/10W/15W
- ◆ Rated Capacity: 2900mAh
- ◆ 100.3mm×65.45mm×7.1mm|3.95×2.58×0.28inch
- ◆ 0.22lbs
- ◆ ≥500 Charge Cycles
- ◆ Polymer Lithium Battery
- ◆ Gray|Champagne|Silver|Orange
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Jan

**Model:5MC2A**

**0.35 Inch Ultra Slim**

**5000mAh | PD20W+MagSafe-Compatible15W**



- ◆HD 1.14" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)
- ◆Type-C Output: 5V/3A,9V/2.22A,12V/1.67A (20W Max)
- ◆Wireless Output:2.5W/5W/7.5W/10W/15W
- ◆Rated Capacity: 2900mAh
- ◆4.0\*2.63\*0.35 inch| 102\*67\*8.9mm
- ◆0.27lbs
- ◆≥300 Charge Cycles
- ◆Polymer Lithium Battery
- ◆Black|Gray|Hermes Orange|Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Mar

**Model:10MC9A**

**HD 1.14" TFT Display**

**10000mAh | PD20W + MagSafe-Compatible 15W**



◆HD 1.14" TFT Display

◆Aluminum alloy+Plastic

◆Reserved lanyard hole

◆Type-C Input: 5V/3A,9V/2A,12V/1.5A(18W Max)

◆Type-C Output: 5V/3A,9V-2.22A,12V-1.67A(20W Max)

◆Wireless Output:2.5W/5W/7.5W/10W/15W

◆Rated Capacity: 5900mAh

◆4.01\*2.63\*0.59 inch| 102\*67\*15mm

◆0.43lbs

◆≥300 Charge Cycles

◆Polymer Lithium Battery

◆Black|Gray|Hermes Orange|Silver

◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Mar**

**Model:10MC2B-A Qi2.2**

**10000mAh | PD40W+MagSafe-Compatible 25W**



- ◆HD 1.14" TFT Display
- ◆Aluminum alloy+Plastic
- ◆Reserved lanyard hole
- ◆Type-C Input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A 30W
- ◆Type-C Output: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/2A 40W
- ◆2.5W/5W/7.5W/10W/15W/25W
- ◆Rated Capacity: 5900mAh
- ◆102mm×67mm× 15mm / 4.01×2.63×0.59 inches
- ◆0.43lbs
- ◆≥300 Charge Cycles
- ◆ Polymer Lithium Battery
- ◆Black|Gray|Hermes Orange|Silver
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

Lanuched time: 2026.Apr

**Model: 10C6**

**Hassle-Free Cable Charging**

**10000mAh | PD35W**



- ◆ Plastic (PC)
- ◆ 188 Digital Display
- ◆ Type-C Input: 5V= 3A、9V= 3A、12V= 1.67A、15V= 1.33A、20V= 1A; (20W Max)
- ◆ Type-C cable input: 5V= 3A、9V= 3A、12V= 1.67A、15V= 1.33A、20V= 1A;
- ◆ Type-C output: 5V= 3A、9V= 3A、10V= 2.25A、12V= 2.91A、15V= 2.33A、20V= 1.75A(35W Max)
- ◆ Type-C output: 5V= 3A、9V= 3A、10V= 2.25A、12V= 2.91A、15V= 2.33A、20V= 1.75A(35W Max)
- ◆ Lightning Cable:5V/3A/9V/3A(27W) total output: 5V= 3A
- ◆ Rated Capacity:5900mAh
- ◆ 2.97\*2.08\*1.29 inch | 75.5\*53\*33mm
- ◆ 0.39 lbs|176g
- ◆ ≥300 Charge Cycles
- ◆ Polymer Lithium Battery
- ◆ Black,Light Gray,Hermes Orange,White,Light Blue
- ◆ FCC UL2056 KC CCC PSE MSDS UN38.3 RoHS CE Reach WEEE

**Lanuched time: 2026.Jan**

**Chairman Steven Cao**



Southwestern University of Finance and Economics graduate with 20+ years in automotive parts manufacturing and energy storage. Chairman & General Manager of Jusheng Energy and Shengquan New Energy, specializing in energy storage and power system integration. Holds 22 patents.

**Dr. RuiBo Zhang**



Battery expert and overseas high-level talent. Researcher at the State University of New York and former postdoctoral researcher at Rutgers University. Ph.D. from the Chinese Academy of Sciences. Studied under 2019 Nobel Laureate Stanley Whittingham.

**Dr. GuoLong Jiang**



Ph.D. in Materials Science and Engineering from the Chinese Academy of Sciences; graduate of Northwestern Polytechnical University. Served on expert panels for the Jiangxi Provincial Departments of Industry & IT (2017) and Science & Technology (2018), and as an expert for the MIIT “Changfeng Program” (2019).

# NEW TECH OR GAME CHANGER ?

ZONNGOO

## First Launchment Globally

“No Fire No Explosion” Power Bank

### Nail Penetration Test for Lithium-polymer Cells




# ZONNGOO



# ➤ Revenue Growth (USD Billion)

**ZONNGOO**



# Product Certifications

## Europe & The United States


### ◆ Portable Power Bank Series

**MSDS**

**UN38.3**



### ◆ Portable Power Station Series



Branch Office: China,the Unite States,Germany





# OEM/ODM Strategy Partners

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |
| 宁德时代                                                                                | 比亚迪                                                                                 | 创科集团                                                                                | 松下能源                                                                                  | 亿纬锂能                                                                                  |
|    |    |   |    |    |
| 新能源科技                                                                               | 创明电池                                                                                | 豪鹏科技                                                                                | 中国中车                                                                                  | 中兴派能                                                                                  |
|  |  |  |  |  |
| 鹏辉集团                                                                                | 巨电集团                                                                                | 天能集团                                                                                | 航天锂电                                                                                  | 欣旺达                                                                                   |

|                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------|
|                                                |
|                                                |
|                                                |
|  中国石油                                         |
|                                               |
|  中国华能集团有限公司<br>CHINA HUANENG GROUP CO., LTD. |

# Worldwide Certifications

CB

CE

FC



DOE



IEC



amazon



UL2056



UL1642

